



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	INITIAL RELEASE OF DRAWING	10/17/2014	BS



NOTES:

- 1 MATERIAL: ELASTOMER AND DUROMETER OF 40, 50, 60 OR 70 TO BE SPECIFIED.
- 2 ALL DIMENSIONS ARE REFERENCE.
- 3 AVAILABLE WITH THREADS OF 3/8-16 UNC AND M10 X 1.5.

QTY.	DESCRIPTION	PART NUMBER	MATERIAL OR NOTES	ITEM
AR	ELASTOMER	K372-4	1	4
2	MK370-M10	MK370-M10		3
2	MK370-BB	MK370-BB		2
	K372	K372		1

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF KARMAN RUBBER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF KARMAN RUBBER IS PROHIBITED.	SIGNATURE		DATE
	DRAWN	B. SENEAL	10/17/2014
	CHECK	S. BROWN	10/17/2014
	ENGR	B. SENEAL	10/17/2014
	QA		
	STRESS		
APPR			

UNLESS OTHERWISE SPECIFIED:  
 DIMENSIONS ARE IN INCHES  
 TOLERANCES:  
 .X = ± 0.031  
 .XXX = ± 0.005  
 ANGLES = ± 1°  
 INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5M-1994

**KARMAN RUBBER VIBRO-INSULATORS**  
 FOR CONTROLLING NOISE, SHOCK & VIBRATION

TITLE: <b>K372 SERIES VIBRO-INSULATOR</b> WWW.KARMAN.COM		DWG. NO. <b>K372</b>		REV <b>1</b>
SIZE <b>B</b>	CAGE CODE	SCALE: 1:1	WEIGHT: N/A	SHEET 1 OF 1

DO NOT SCALE DRAWING