




REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	INITIAL RELEASE OF DRAWING	10/09/2014	BS
2	ADD DIMENSION OF CLEARANCE HOLE AND ADD NOTE FOR INNER CAVITY.	10/9/2014	BS



INTERIOR CAVITY SIZED FOR A STANDARD 1/2-13 UNC NUT OR BOLT.

NOTES:

- 1 MATERIAL: ELASTOMER AND DUROMETER OF 40, 50, 60 OR 70 TO BE SPECIFIED.
- 2 ALL DIMENSIONS ARE REFERENCE.

AR	ELASTOMER	K61-4		4
1	MK610A	MK610A		3
1	MK610	MK610		2
	K61	K61		1
QTY.	DESCRIPTION	PART NUMBER	MATERIAL OR NOTES	ITEM

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF KARMAN RUBBER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF KARMAN RUBBER IS PROHIBITED.	SIGNATURE		DATE
	DRAWN	B. SENEAL	10/09/2014
	CHECK	S. BROWN	10/09/2014
	ENGR	B. SENEAL	10/09/2014
	QA		
STRESS			
APPR			

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN INCHES  
TOLERANCES:  
.X =  
.XX = ± 0.031  
.XXX =  
ANGLES = ± 1°  
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5M-1994



TITLE:		K61 SERIES VIBRO-INSULATOR WWW.KARMAN.COM		
SIZE	CAGE CODE	DWG. NO.	REV	
<b>B</b>		<b>K61</b>	<b>2</b>	
DO NOT SCALE DRAWING		SCALE: 1:1	WEIGHT: 15.0 OZ.	SHEET 1 OF 1