




REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	INITIAL RELEASE OF DRAWING	9/15/2014	BS
2	Ø2.885 RECOMMENDED CLEARANCE WAS Ø2.885 MIN CLEARANCE.	9/23/2014	BS



QTY.	DESCRIPTION	PART NUMBER	MATERIAL OR NOTES	ITEM
AR	ELASTOMER	K7070-4	⚠	4
1	MK7070B	MK7070B		3
1	MK7070	MK7070		2
	K7070	K7070		1

NOTES:

- 1 MATERIAL: ELASTOMER AND DUROMETER OF 40, 50 60 OR 70 TO BE SPECIFIED.
- 2 ALL DIMENSIONS ARE REFERENCE.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF KARMAN RUBBER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF KARMAN RUBBER IS PROHIBITED.	SIGNATURE		DATE
	DRAWN	B. SENEAL	09/15/2014
	CHECK	S. BROWN	09/15/2014
	ENGR	B. SENEAL	09/15/2014
	QA		
STRESS			
APPR			

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
.X =
.XX = ± 0.031
.XXX =
ANGLES = ± 1°
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5M-1994



TITLE: **K7070 SERIES VIBRO-INSULATOR**
WWW.KARMAN.COM

SIZE	CAGE CODE	DWG. NO.	REV
B		K7070	2
DO NOT SCALE DRAWING		SCALE: 1:2	WEIGHT: 1 LB 5.0 OZ. SHEET 1 OF 1