



| REVISIONS | | | |
|-----------|----------------------------|-----------|----------|
| REV. | DESCRIPTION | DATE | APPROVED |
| 1 | INITIAL RELEASE OF DRAWING | 5/30/2014 | BS |
| 2 | ADD NOTE 3 | 8/15/2014 | BS |



NOTES:

- 1 MATERIAL: ELASTOMER AND DUROMETER OF 40, 50, 60 OR 70 TO BE SPECIFIED.
- 2 ALL DIMENSIONS ARE REFERENCE.
- 3 AVAILABLE WITH 6-32 UNC X 1/2" THREAD.

| AR | DESCRIPTION | PART NUMBER | MATERIAL OR NOTES | ITEM |
|----|-------------|-------------|-------------------|------|
| AR | ELASTOMER | S620-3 | | 3 |
| 2 | MS620 | MS620 | | 2 |
| | S620 | S620 | | 1 |

| PROPRIETARY AND CONFIDENTIAL | | SIGNATURE | DATE |
|--|--------|-----------|------------|
| THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF KARMAN RUBBER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF KARMAN RUBBER IS PROHIBITED. | DRAWN | B. SENEAL | 05/30/2014 |
| | CHECK | S. BROWN | 05/30/2014 |
| | ENGR | B. SENEAL | 05/30/2014 |
| | QA | | |
| | STRESS | | |
| | APPR | | |

UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN INCHES
 TOLERANCES:
 .X =
 .XX = ± 0.031
 .XXX =
 ANGLES = ± 1°
 INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5M-1994



| | | | |
|--|-----------|---------------|-----------------|
| TITLE: S620 SERIES VIBRO-INSULATOR WWW.KARMAN.COM | | DWG. NO. S620 | REV 2 |
| SIZE B | CAGE CODE | SCALE: 4:1 | WEIGHT: .05 OZ. |
| DO NOT SCALE DRAWING | | SHEET 1 OF 1 | |