



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	INITIAL RELEASE OF DRAWING	8/28/2014	BS





NOTES:

- 1 MATERIAL: ELASTOMER AND DUROMETER OF 40, 50, 60 OR 70 TO BE SPECIFIED.
- 2 ALL DIMENSIONS ARE REFERENCE.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF KARMAN RUBBER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF KARMAN RUBBER IS PROHIBITED.	SIGNATURE		DATE
	DRAWN	B. SENEAL	08/28/2014
	CHECK	S. BROWN	08/28/2014
	ENGR	B. SENEAL	08/28/2014
	QA		
	STRESS		
	APPR		

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
.X =
.XX = ± 0.031
.XXX =
ANGLES = ±1°
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5M-1994



	K1150B		K1150B				1
QTY.	DESCRIPTION		PART NUMBER		MATERIAL OR NOTES		ITEM
<div>MAN RUBBER INSULATORS®</div> <div>ROLLING NOISE, SHOCK & VIBRATION</div>			TITLE: K1150B SERIES VIBRO-INSULATOR WWW.KARMAN.COM				
SIZE B	CAGE CODE	DWG. NO. K1150B				REV 1	
DO NOT SCALE DRAWING		SCALE: 2:1		WEIGHT: .28 OZ.		SHEET 1 OF 1	