



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	INITIAL RELEASE OF DRAWING	9/24/2014	BS

NOTES:

- 1 MATERIAL: ELASTOMER AND DUROMETER OF 40, 50, 60 OR 70 TO BE SPECIFIED.
- 2 ALL DIMENSIONS ARE REFERENCE.
- 3 AVAILABLE WITH THREADS OF 1/2-13 UNC.

PROPRIETARY AND
CONFIDENTIAL
THE INFORMATION
CONTAINED IN THIS
DRAWING IS THE SOLE
PROPERTY OF
KARMAN RUBBER. ANY
REPRODUCTION IN PART
OR AS A WHOLE
WITHOUT THE WRITTEN
PERMISSION OF
KARMAN RUBBER
IS PROHIBITED.

SIGNATURE		DATE
DRAWN	B. SENECA	09/24/2014
CHECK	S. BROWN	09/24/2014
ENGR	B. SENECA	09/24/2014
QA		
STRESS		
APPR		

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
.X =
.XX = ± 0.031
.XXX =
ANGLES = ±1°
INTERPRET GEOMETRIC
TOLERANCING PER:
ASME Y14.5M-1994



SIZE B	CAGE CODE	DWG. NO. K26		REV 1
		SCALE: 1:1	WEIGHT: 7.95 OZ.	SHEET 1 OF 1

AR	ELASTOMER	K26-3	1	3
2	MK250	MK250		2
	K26	K26		1
QTY.	DESCRIPTION	PART NUMBER	MATERIAL OR NOTES	ITEM

TITLE:
**K26 SERIES
VIBRO-INSULATOR**
WWW.KARMAN.COM