



| REVISIONS | | | |
|-----------|----------------------------|------------|----------|
| REV. | DESCRIPTION | DATE | APPROVED |
| 1 | INITIAL RELEASE OF DRAWING | 10/10/2014 | BS |



NOTES:

- 1 MATERIAL: ELASTOMER AND DUROMETER OF 40, 50, 60 OR 70 TO BE SPECIFIED.
- 2 ALL DIMENSIONS ARE REFERENCE.

| PROPRIETARY AND CONFIDENTIAL | SIGNATURE | DATE | UNLESS OTHERWISE SPECIFIED: |
|---|-----------|-----------|-----------------------------|
| <small>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF KARMAN RUBBER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF KARMAN RUBBER IS PROHIBITED.</small> | DRAWN | B. SENEAL | 10/10/2014 |
| | CHECK | S. BROWN | 10/10/2014 |
| | ENGR | B. SENEAL | 10/10/2014 |
| | QA | | |
| | STRESS | | |
| | APPR | | |

DIMENSIONS ARE IN INCHES
TOLERANCES:
.X =
.XX = ± 0.031
.XXX =
ANGLES = ± 1°
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5M-1994



TITLE: **K20-3 SERIES VIBRO-INSULATOR**
WWW.KARMAN.COM

| AR | ELASTOMER | K20-3-3 | | 3 |
|------|-------------|-------------|-------------------|------|
| 1 | MK20-3 | MK20-3 | | 2 |
| | K20-3 | K20-3 | | 1 |
| QTY. | DESCRIPTION | PART NUMBER | MATERIAL OR NOTES | ITEM |

| SIZE | CAGE CODE | DWG. NO. | REV |
|-----------------------------|-----------|--------------|--------------|
| B | | K20-3 | 1 |
| DO NOT SCALE DRAWING | | SCALE: 1:1 | WEIGHT: N/A |
| | | | SHEET 1 OF 1 |