




REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	INITIAL RELEASE OF DRAWING	6/8/2015	BS



NOTES:

- 1 MATERIAL: ELASTOMER AND DUROMETER OF 40, 50, 60 OR 70 TO BE SPECIFIED.
- 2 ALL DIMENSIONS ARE REFERENCE.
- 3 THIS PART IS DESIGNED TO BE USED WITH A 3/4" HEAVY HEX NUT.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF KARMAN RUBBER. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF KARMAN RUBBER IS PROHIBITED.	SIGNATURE		DATE
	DRAWN	B. SENEAL	06/08/2015
	CHECK	S. BROWN	06/08/2015
	ENGR	B. SENEAL	06/08/2015
	QA		
	STRESS		
APPR			

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
.X = ± 0.031
.XXX = ± 1°
ANGLES = ± 1°
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5M-1994



TITLE: **K62-C SERIES VIBRO-INSULATOR**
WWW.KARMAN.COM

QTY.	DESCRIPTION	PART NUMBER	MATERIAL OR NOTES	ITEM
AR	ELASTOMER	K62-C-4	1	4
1	MK620A	MK620A		3
1	MK620B	MK620B		2
	K62-C	K62-C		1

SIZE	CAGE CODE	DWG. NO.	REV
B		K62-C	1
DO NOT SCALE DRAWING		SCALE: 1:2	WEIGHT: N/A
			SHEET 1 OF 1