




REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1	INITIAL RELEASE OF DRAWING	9/30/2014	BS




AR	DESCRIPTION	PART NUMBER	MATERIAL OR NOTES	ITEM
AR	ELASTOMER	K66-6		6
1	MK600-M10	MK600-M10		5
1	MK600A	MK600A		4
1	MK650-M10	MK650-M10		3
1	MK650	MK650		2
	K66	K66		1

NOTES:

- 1 MATERIAL: ELASTOMER AND DUROMETER OF 40, 50, 60 OR 70 TO BE SPECIFIED.
- 2 ALL DIMENSIONS ARE REFERENCE.
- 3 AVAILABLE WITH THREADS OF 3/8-16 UNC AND M10 X 1.5.

	SIGNATURE	DATE
DRAWN	B. SENEAL	09/30/2014
CHECK	S. BROWN	09/30/2014
ENGR	B. SENEAL	09/30/2014
QA		
STRESS		
APPR		

UNLESS OTHERWISE SPECIFIED:  
 DIMENSIONS ARE IN INCHES  
 TOLERANCES:  
 .X = ± 0.031  
 .XXX = ± 0.005  
 ANGLES = ± 1°  
 INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5M-1994



TITLE: K66 SERIES VIBRO-INSULATOR WWW.KARMAN.COM	
SIZE: <b>B</b>	CAGE CODE
DO NOT SCALE DRAWING	SCALE: 1:1
DWG. NO. K66	REV 1
WEIGHT: 6.7 OZ.	SHEET 1 OF 1